

- CDMA450 Rx Balanced SAW Duplexer For 417.75 MHz / 427.75 MHz
- Revision 0: July 2011


## Electrical Characteristics

MAXIMUM RATING				
PARAMETERS DESCRIPTION	UNIT	MINIMUM	TYPICAL	MAXIMUM
Operating Temperature Range	°C	-30	-	+80
Storage Temperature Range	°C	-40	-	+85
Maximum DC Voltage	V	-	0	-
Input Power Level	dBm	29dBm> 50000 Hours, CW tone(Ta= +55°C)		
Antenna & Tx Impedance (single ended)	Ω	-	50	-
Rx Impedance (balanced) <sup>(1)</sup>	Ω	-	100	-
Package type & size	K6			
Length x Width	mm <sup>2</sup>	-	5.0 x 5.0	-
Height	mm	-	1.8	-

ELECTRICAL SPECIFICATION					
PARAMETERS	CONDITION [MHZ]	UNIT	MINIMUM	TYPICAL	MAXIMUM
<b>Tx → Ant</b>		<b>Specifications</b>			
Insertion Loss	415.5 ~ 420.0	dB	-	2.2	3.0
VSWR	415.5 ~ 420.0	-	-	1.6	2.2
Absolute Attenuation	0.3 ~ 400.0	dB	25	31	-
	425.5 ~ 430.0	dB	40	50	-
	430.0 ~ 1700.0	dB	15	18	-
	1700.0 ~ 2000.0	dB	10	17	-
<b>Ant → Rx</b>		<b>Specifications</b>			
Insertion Loss	425.5 ~ 430.0	dB	-	3.2	3.8
Amplitude Imbalance	425.5 ~ 430.0	dB	-1.0	-0.6/0.4	1.0
Phase Imbalance	425.5 ~ 430.0	deg	-15	8.0/9.5	15
VSWR	425.5 ~ 430.0	-	-	1.8	2.3
Absolute Attenuation	0.3 ~ 415.5	dB	45	53	-
	415.5 ~ 420.0	dB	45	53	-
	460.0 ~ 600.0	dB	40	50	-
	600.0 ~ 1200.0	dB	30	40	-
	1200.0 ~ 2000.0	dB	25	31	-
<b>Tx → Rx</b>		<b>Specifications</b>			
Isolation	415.5 ~ 420.0	dB	52	60	-
	425.5 ~ 430.0	dB	52	70	-

**Notes :** (1) With Matching Network .


## Package Dimensions



Marking Descriptions	
W	CDMA450 Application
g	Series Number
X	Date Code (Year)
Y	Date Code (Month)


Pin Description	
A, C, D, E, F, I, J, L	Ground
K	Antenna
B	Tx
G, H	Rx Balanced

## Testing Environment




## Frequency Characteristics


**Tx to Ant**



**Ant to Rx**




**Isolation**




**Tx Port**

**Smith Chart**




**VSWR**




**Rx Port**

**Smith Chart**




**VSWR**




**Ant Port**




**Smith Chart**



**VSWR**



**Wide Span**



## Amplitude Imbalance



## Phase Imbalance

