

- 138.24 MHz IF SAW Filter / 21.95 MHz Bandwidth
- Revision 0: 28 Nov. 2008


Electrical Characteristics

MAXIMUM RATING				
PARAMETERS DESCRIPTION	UNIT	MINIMUM	TYPICAL	MAXIMUM
Operating Temperature Range	°C	-40	-	85
Storage Temperature Range	°C	-40	-	85
Maximum DC Voltage	V	-	-	10
Maximum Input Power	dBm	-	-	10
Source Impedance (single ended) ⁽¹⁾	Ω	-	50	-
Load Impedance (single ended) ⁽¹⁾	Ω	-	50	-
Package type & size	V			
Length x Width	mm ²	-	13.3 x 6.5	-
Height	mm	-	-	1.8

ELECTRICAL SPECIFICATION				
PARAMETERS DESCRIPTION	UNIT	MINIMUM	TYPICAL	MAXIMUM
Center Frequency (Fo)	MHz	-	138.24	-
Insertion Loss at Fo	dB	-	10.2	12.00
Group Delay Variation (128.24MHz ~ 148.24MHz)	nsec	-	26.8	50
Absolute Delay at Fo	usec	-	0.85	-
Passband Ripple Variation(128.24MHz~148.24MHz)	dB	-	0.5	1.0
Bandwidth at -1dB	MHz	-	21.95	-
Bandwidth at -3dB	MHz	-	23.23	-
Bandwidth at -40dB	MHz	-	28.25	30
Relative Attenuation:				
@ 0 MHz ~ 108.24 MHz	dB	58	60	
@108.24MHz ~ 117.52MHz	dB	52	56	
@122.88MHz	dB	45	60	
@220.4MHz ~ 271.12MHz	dB	58	80	
@271.12MHz ~ 1000MHz	dB	40	60	
Temperature Coefficient	ppm/°C	-	-86	-

Notes : (1) With Matching Network (Ref. Testing Environment Circuit as shown below).
Those impedances could be modified with different impedance values and/or structures, if necessary.


Package Dimensions



- ① **TRANSKO:** Brand
- ② **TL13820A:** Model Name
- ③ **X :** Date Code (Year)
- ④ **Y :** Date Code (Month)
- ⑤ **Z :** Date Code (Date)
- : Index Dot

Pin Description	
A, B, C, D, F, G, H, I, J, L	Ground
K	Input
E	Output

Testing Environment




Test Fixture & Values	
Input	L1 = 47 nH , C1 = 27 pF
Output	L2 = 56 nH , C2 = 27 pF
Source/Load Impedance	50 Ω

Frequency Characteristics

Frequency Response


Bandwidth at -1.0 dB




Bandwidth at -3.0 dB



Bandwidth at -40.0 dB




Relative Attenuation




Frequency Response


Ripple Variation (128.24MHz ~ 148.24MHz)



Group Delay Variation (128.24MHz ~ 148.24MHz)



Smith Chart



VSWR

